


NO.	DATE	DMN	APVD



SC Male

N Male

SW14
[.551" ACROSS
(2) FLATS]

[1.815"]

46.1

NOTES:

1.ELECTRICAL:

- 1.1 IMPEDANCE: 50Ω
- 1.2 INSULATION RESISTANCE:5000MΩ MIN
- 1.3 FREQUENCY RANGE: DC~11GHz
- 1.4 DIELECTRIC WITHSTANDING VOLTAGE: 1000V MAX AT SEA LEVEL
- 1.5 VSWR≤1.20:1@11GHz
- 1.6 INSERTION LOSS: 0.3 dB

2.ENVIROMENTAL:

- 2.1 TEMPERATURE RANGE: -55° to +165°

3.MATERIAL AND FINISH:

- 3.1 BODY: STAINLESS STEEL, PASSIVATE
- 3.2 NUT: STAINLESS STEEL, PASSIVATE
- 3.3 CENTER CONTACT: BERYLLIUM COPPER, GOLD PLATING
- 3.4 DIELECTRIC: PTFE, N/A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DMN	DWP	17/12/2018
CHK		

APVD	NAME	Jiangsu Zdecl Microwave Technology Co., Ltd.
PRODUCT SPEC	NAME	N Male To SC Male Adaptor

TOLERANCES UNLESS OTHERWISE SPECIFIED:	SIZE	TAGE CODE	DRAWING NO
0 P/C ±0.25	A4	00779	N/SC-JJ
1 P/C ±0.15			
2 P/C ±0.12			
3 P/C ±			
ANGLES 1°			

FINISH	WEIGHT	SCALE	2: 1
SEE TABLE		SHEET	1 OF 1
SEE TABLE		R/E	1

MATERIAL	SEE TABLE	CUSTOMER DRAWING
----------	-----------	------------------